

# Wisconsin River Basin Water Quality Improvement Project

## 5<sup>th</sup> Annual Wisconsin River Symposium March 19, 2015

Ann Hirekatur, TMDL Project Manager



*Photo by James Brodzeller*


# Wisconsin River Basin Water Quality Improvement Project

Part I

## **PROJECT OVERVIEW** **PAST, PRESENT & FUTURE**




# The Wisconsin River Basin (WRB) Water Quality Improvement Project



# Project Framework = Total Maximum Daily Load

## TMDL



The **Framework** for Wisconsin River Basin Water Quality Improvement Project

## A TMDL answers the following questions:

- How much is the existing pollutant load? What is the contribution from each source?
- How much does pollution need to be reduced in order for waterways to achieve water quality standards?
- How will the pollutant load reductions be achieved?



# Why develop a TMDL?



Baseline  
Pollutant  
Load



Does not  
meet water  
quality standards

Total  
Maximum  
Daily  
Load



Meets water  
quality standards

# Developing a TMDL

Baseline  
Pollutant  
Load



What is the magnitude of the  
**Total Maximum Daily Load** ?

# Developing a TMDL

Baseline  
Pollutant  
Load





How will the load be  
apportioned among sources?



# WRB Total Maximum Daily Load (TMDL)

*Each subwatershed is assessed for:*





# WRB Water Quality Improvement Project

## Past, Present and Future.....

1995

2000

2005

2010


2015

2020

2025...

**1991-1996**

Petenwell  
Castle Rock  
Comprehensive  
Management  
Planning



# WRB Water Quality Improvement Project

## Past, Present and Future.....

**2001&2004**

Unsuccessful  
Funding  
Proposals



1995

2000

2005

2010

2015

2020

2025...


**1991-1996**

Petenwell  
Castle Rock  
Comprehensive  
Management  
Planning




# WRB Water Quality Improvement Project

## Past, Present and Future.....



# WRB Water Quality Improvement Project


## Past, Present and Future.....






# WRB Water Quality Improvement Project

## Past, Present and Future.....




# WRB Water Quality Improvement Project

## Past, Present and Future.....




# WRB Water Quality Improvement Project

## Past, Present and Future.....



# WRB Water Quality Improvement Project


## Past, Present and Future.....






# WRB Water Quality Improvement Project

## Past, Present and Future.....




# WRB Water Quality Improvement Project

## Past, Present and Future.....




# WRB Water Quality Improvement Project

## Past, Present and Future.....



# WRB Water Quality Improvement Project


## Past, Present and Future.....





# WRB Water Quality Improvement Project

## Detailed Technical Timeline




# Wisconsin River Basin Water Quality Improvement Project

Part II

## COMMUNICATION & OPPORTUNITIES FOR INVOLVEMENT

# Updated Website

[Business](#) [Licenses & Regulations](#) [Recreation](#) [Education](#) [Topics](#) [Contact](#) [Join DNR](#)


## Wisconsin River Total Maximum Daily Load (TMDL): A Framework for Water Quality Improvement

The DNR, together with many partners throughout the basin, are working to improve water quality of the Wisconsin River, its reservoirs and tributaries. The Total Maximum Daily Load (TMDL) study and implementation plan will provide a strategic framework and prioritize resources for water quality improvement in the Wisconsin River Basin.

The Wisconsin River TMDL study area spans Wisconsin's central corridor from the headwaters in Vilas County to Lake Wisconsin in Columbia County, covering 9,156 square miles, approximately 15 percent of the state.


### Overview of the Wisconsin River Basin TMDL project

#### General project information



- [Project overview handout \[PDF\]](#)
- [Project overview presentation \(2/14\) \[PDF\]](#)
- [Project timeline \[PDF\]](#)
- [Project overview webinar \(9/13\) \[WMV Format\]](#)
- [Project FAQs \[PDF\]](#)
- [Project Quarterly Newsletter](#)


#### Map & spatial data viewer



- [Project area map \(12/13\) \[PDF\]](#)
- [Wisconsin River TMDL spatial data viewer](#)


### Technical project details

#### Modeling details



- [Modeling/technical Details](#)
- [Model domain map \(9/13\) \[PDF\]](#)
- [Detailed modeling timeline \[PDF\]](#)
- [Technical stakeholder meetings](#)
- [Opportunities for technical input \(11/14\) \[PDF\]](#)

#### Presentations and e-library



- [Wisconsin River Symposium proceedings](#)
- [Handouts, presentations, webinars & videos](#)
- [e-library](#)

#### Project links


- [Wisconsin River TMDL overview \[PDF\]](#)
- [Wisconsin River TMDL project area map \[PDF\]](#)
- [Wisconsin River TMDL Spatial Data Viewer](#)
- [Wisconsin River TMDL webinar \[WMV Format\]](#)
- [What can I do?](#)

#### TMDLs

- TMDL overview**  
Overview of TMDLs.
- TMDL development**  
TMDLs in development.
- TMDL approvals**  
List of TMDLs approved by USEPA.
- TMDL implementation**  
TMDL implementation.
- Wastewater, storm water, CAFOs**  
Point source issues in TMDLs.
- Nonpoint source**  
Runoff and stormwater related to TMDLs.
- TMDL status map**  
Map of approved TMDLs

#### SUBSCRIBE

[Subscribe](#) to receive email updates about the Wisconsin River TMDL.





- Launched August 2014
- Anyone can subscribe/unsubscribe at any time
- Initial invite sent to 281 emails
- Currently 650+ subscribers
- More timely communication than via website
- Approximately one announcement per month
  - Quarterly Newsletters
  - Events (e.g. Wisconsin River Symposium)
  - Notification of new information posted to website
  - Opportunities for Stakeholder Input/Involvement (draft model review/comments)



# Quarterly Newsletters



Updates on the Wisconsin River TMDL and water quality improvement efforts.

## Water quality efforts underway


A Total Maximum Daily Load (TMDL) is the maximum amount of a pollutant that a body of water can receive while still meeting water quality standards. A waterway that exceeds water quality standards is often no longer suitable for its designated uses, such as wildlife habitat, fishing, or other recreational activities. The ultimate goal of a TMDL is to improve water quality by reducing pollutants such as phosphorus and sediment.

### How did we get a TMDL in the Wisconsin River Basin?

In 2008, the Petenwell and Castle Rock Stewards—a group of local residents and business owners who depend on the Wisconsin River, its reservoirs and tributaries for recreation and for their livelihood—took area legislators out on pontoon boats on Petenwell and Castle Rock Reservoirs. After these elected officials observed the water quality problems firsthand, the state Legislature allocated funding for a water quality improvement project and directed the Wisconsin Department of Natural Resources to develop a [TMDL project for the WI River](#).


## Stay up to date!

A TMDL requires several years of monitoring data to determine where the pollutants are coming from. This data is combined with computer models to determine how reductions can be made fairly and in the most cost-effective way possible. Through this newsletter, the Wisconsin River TMDL team is working to communicate progress on the different stages of TMDL development and invite public feedback. This quarterly newsletter also highlights information, tools and resources available to help with conservation efforts in the state.

 [Subscribe](#) to receive email updates about the Wisconsin River TMDL.

Created by Susan Sanford - Wisconsin Department of Natural Resources Bureau of Water Quality

### IN THIS ISSUE



#### Mapping the land in the Wisconsin River Basin

The Wisconsin DNR is using an innovative approach to create high quality spatial datasets and maps that will help to prioritize areas for conservation and achieve water quality improvements.

[Page 2](#)



#### EVAAL: A new tool for precision conservation

The DNR has developed a new tool to assist watershed managers in prioritizing areas within a watershed that may be vulnerable to water erosion (and thus increased nutrient export) and thus may contribute to downstream surface water quality problems.

[Page 4](#)




## Monitoring Water Quality in the Wisconsin River Basin

In December of 2013, DNR wrapped up work on one of the most comprehensive watershed monitoring efforts ever undertaken in the state - four years of flow and water quality monitoring in the rivers, streams and lakes of the Wisconsin River basin. The purpose of this comprehensive, long-term, large-scale monitoring effort was to gain a better understanding of water quality conditions within the basin. This monitoring was the first step in an ongoing, basin-wide effort to reduce the amount of phosphorus in Wisconsin River basin waterways, thereby reducing the frequency and severity of toxic blue green algae blooms and improving aquatic habitat and recreational opportunities.



The framework for this basin-wide water quality improvement effort is the development of a *Total Maximum Daily Load (TMDL)*. A TMDL is the maximum amount of a pollutant that a body of water can receive and still achieve water quality standards. Through monitoring and computer modeling, we can use the TMDL process to determine how much phosphorus needs to be reduced in order to achieve water quality standards, and how to achieve the needed phosphorus reductions.



### The Wisconsin River TMDL study area

The Wisconsin River TMDL study area spans Wisconsin's central corridor from the headwaters in Vilas County to Lake Wisconsin in Columbia County, covering 9,156 square miles - approximately 15 percent of the state. The hydrologic network within the basin (or watershed) includes the main stem of the river, smaller rivers and streams called tributaries that flow into the main stem of the river and impounded waters, called reservoirs.

<b>Tributary</b>	The rivers and streams that flow into the Wisconsin River are called tributaries.
<b>River Main Stem</b>	The main stem of the Wisconsin River is the large river channel that originates in the forests of Vilas County in northern Wisconsin, flows south across the glacial plain of central Wisconsin, then west starting near Portage, until it joins the Mississippi just south of Prairie du Chien.
<b>Reservoir</b>	A reservoir is a man-made impounded lake, created by damming a flowing river or stream. There are many reservoirs in the Wisconsin River basin. Five major reservoirs were monitored as part of the Wisconsin River TMDL project, including Big Eau Pleine, Lake DuBay, Petenwell, Castle Rock and Lake Wisconsin.
<b>Watershed</b>	A watershed is the area of land that drains to a specific stream, river or lake. Watersheds exist at different scales. For example, each Wisconsin River tributary stream has its own smaller watershed. These tributary watersheds, together with the lands that drain directly to the Wisconsin River, collectively comprise the Wisconsin River watershed.



# Quarterly Newsletters



## Mapping What's Happening on the Land in the Wisconsin River Basin



All of the activities that occur on the land have an impact on what happens in our waterways. When it rains, water runs over the land, picking up sediment and nutrients and transporting them to streams, rivers, and lakes. One of these nutrients is phosphorus. Phosphorus is essential to plant growth, which is why people apply it to their lawns, gardens and agricultural fields. However, if too much phosphorus washes off the land and into water bodies, it can cause severe weed and algae growth that can harm fish and aquatic life, decrease recreational opportunities, and create health risks for people and pets.

There is a major effort underway to improve water quality in the Wisconsin River Basin. The framework for this effort is a Total Maximum Daily Load (TMDL), which is the maximum amount of a pollutant that a body of water can receive while still meeting water quality standards. A waterway that exceeds water quality standards is referred to as "impaired" and is no longer suitable for its designated uses, such as wildlife habitat, fishing, or other recreational activities.

Understanding what is occurring on the landscape is a critical part of understanding what is happening in the water and figuring out how to achieve better water quality. The Wisconsin River Basin covers 9,156 square miles, approximately 15 percent of the state, and figuring out what is happening on all of that land is no small task. The DNR is using an innovative and efficient approach to generate high quality, high resolution maps of the landscape in the basin. These maps and the underlying data will increase our ability to protect and restore healthier waterways.

### How do we calculate pollutant loads from agricultural and natural areas?

In order to determine where the nutrients are coming from, the DNR uses a combination of field research and computer model simulations. One of these computer models is called the Soil and Water Assessment Tool (SWAT), which uses information about the landscape (e.g. soil type, elevation, land cover, land management, etc.) to predict where the nutrients are coming from within the watershed.



The SWAT model uses satellite images to determine the land cover types within the basin, such as agriculture, grassland, wetland, forest, urban, etc. This is an important part of the model because the land cover can affect the amount of rain and nutrients coming off of the land and entering a nearby stream or river. It is important to further break down the agricultural land cover, especially in the Wisconsin River Basin where nearly 25 percent of the land is agricultural, ranging from the dairy farming in the north central region to potatoes and vegetables in the central sands, and corn and soybean crops in the southern region. Individual farms also

- Landcover Definition**
- Agriculture
  - Barren / Shrubland
  - Cranberries
  - CRP
  - Pasture / Hay
  - Grassland
  - Forest
  - Open Water
  - Wetlands
  - Urban

use different management styles (e.g. what crops are planted, how much tillage is occurring, and how nutrients are applied), creating an even greater variety of activities on the land. Due to this unique challenge, the DNR chose to use a new approach to better define the land management within the basin. The steps used are detailed in the graphic below.

### HOW DID THE DNR DEFINE AGRICULTURAL LAND MANAGEMENT IN THE WISCONSIN RIVER BASIN?

1

**Defined Crop Rotations**

We used maps showing what type of crops were planted each year over a five year period (2008-12). Looking at what crops were planted during this time tells us the *crop rotation* used in each field.

2

**Defined Field Rotations**

The crop rotations were then grouped into specific field rotations, such as *dairy, cash grains, continuous corn, or potato*. For example, a field that was in a corn/soybean rotation during the five year period was classified as *cash grains*.

3

**Met with Counties**

Meetings were held with local experts (county conservationists and agricultural professionals) to help confirm or refine these field rotations, as well as to help identify management practices and agricultural features in the fields (tillage, nutrient applications, drain tiles, irrigation).

4



**Compared to Field Data**

The final step was to validate that the updated crop rotation dataset (from step 3) was accurate. To do this, the crop rotation dataset was compared to previously measured data, including: cattle inventory records, county crop acreage reports, dairy producer points, and field transect surveys.

This is the first time a TMDL in Wisconsin has used such a detailed and in-depth process, incorporating knowledge from local experts. Using this new and innovative approach, DNR was able to create high quality spatial datasets and maps that will help prioritize areas for conservation and achieve water quality improvements. The data has also been shared with counties to help them in their work with farmers and to get conservation practices installed where they are most needed. Kurt Calkins, Director of Land and Water Conservation for Columbia County, shared his thoughts on this: "Having the best available data in the model is a win-win for everyone, because it will help us better define areas on the agricultural landscape that have the greatest potential for reductions. Having quality data in a quality model helps bring all the players to the table with the higher degree of buy-in regarding sources and reductions."

“Having the best available data in the model is a win-win for everyone, because it will help us better define areas on the agricultural landscape that have the greatest potential for reductions.”

# Draft Models - Accessible for Review

Model	Model Development	Estimated Date	Model Calibration	Estimated Date
SWAT	 Model Setup	Jan 2015	Model Calibration	Summer 2015
SLAMM	 Urban Model Area & Reach Mapping	Jan 2015	SLAMM Model	Summer 2015
BATHTUB	Model Setup	April 2015	Model Calibration	Summer 2015
CE-QUAL-W2	Hydrodynamic Calibrated Model	April 2015	Water Quality Calibrated Model	Summer 2015

# Draft Models – Response to Comments

## Response to comments on Estimations of Loads and Sources of Phosphorus and Sediment at Ungauged Sites in the Wisconsin River Basin: *Preliminary Notes on SWAT Model Configuration*

---

*Note: The above title will hereafter be referred to as “the model document.”*

The statements in this document were made in response to comments and questions on DRAFT models. DRAFT models are a work in progress, a snapshot in time. As such, the approach described herein and the models referenced are continuously evolving and subject to change. Many of the issues raised in comments were in the process of already being addressed.

# Nonpoint Stakeholders






# Wisconsin River Basin Water Quality Improvement Project

Part III

## TMDL IMPLEMENTATION

# WRB Water Quality Improvement Project

## Past, Present and Future.....





# WRB Water Quality Improvement Project

## TMDL Implementation

What is  
our  
starting  
point?

Where  
are we  
headed?

How do  
we get  
there?



# WRB Water Quality Improvement Project

## TMDL Implementation


What is  
our  
starting  
point?

Where  
are we  
headed?


How do  
we get  
there?




# Main Stem Monitoring Results




# Major Reservoir Monitoring Results



### Total Phosphorus Concentration





# Tributary Monitoring Results – Total P Concentration




# Major Reservoir Monitoring Results

Total Phosphorus Concentration






# Major Reservoir Monitoring Results



Total Phosphorus Concentration



# WRB Water Quality Improvement Project

## TMDL Implementation

What is  
our  
starting  
point?

Where  
are we  
headed?

How do  
we get  
there?



# Statewide Phosphorus Criteria



**Rivers**  
100 µg/L



**Streams** <sup>1</sup>  
75 µg/L



**Reservoirs**

- Not Stratified = 40 µg/L
- Stratified = 30 µg/L



**Inland Lakes** <sup>2</sup>  
Ranges from 15-30 µg/L



**Great Lakes**

- Lake Michigan = 7 µg/L
- Lake Superior = 5 µg/L


<sup>1</sup>All unidirectional flowing waters not in NR 102.06(3)(a). Excludes Ephemeral Streams.

<sup>2</sup>Excludes wetlands and lakes less than 5 acres



**Phosphorus**  
**Toxic algae blooms**  
**Public health risks**

**Clean Water**  
**Fish & Wildlife**  
**Recreation**



# WRB Water Quality Improvement Project

## TMDL Implementation

What is  
our  
starting  
point?

Where  
are we  
headed?

**How do  
we get  
there?**



# WRB Water Quality Improvement Project

## TMDL Implementation

What is  
our  
starting  
point?

Where  
are we  
headed?

**How do  
we get  
there?**

....and whose responsibility is it?










# Proportional Reduction Allocation Method = Everyone Does their Fair Share



- Proportional allocation method is developed from **baseline conditions**
- **Baseline Conditions** reflect current regulatory requirements, **NOT** current performance
- The TMDL load for each reach is divided proportionally according to each source's baseline load contribution

# TMDL Implementation – Wasteload Allocations



## How? ....

TMDL waste load allocations are incorporated into permits

- Municipal and Industrial Wastewater
- Permitted Municipal Storm Sewer Systems
- CAFO Production Areas (zero allowable discharge)



## Who?

- **DNR** – sets limits based on allocations
- **Permitted facilities** – implement limits



# TMDL Implementation – Nonpoint Source



**How?** Establish partnerships to implement best management practices on the landscape

- **Fair Share**- Everyone does what they reasonably can
- **Targeting** – Use available resources to put extra effort towards high loading watersheds/areas

**Who?**

- County Staff
- Agricultural producers
- Agricultural organizations
- Conservation Organizations
- Crop Consultants
- Citizens/Groups
- DNR/DATCP
- NRCS



# What does NPS implementation look like?

Every county, and every “reach –shed” faces unique challenges and opportunities. A few examples....

## Physical Conditions

- Sandy /Clayey Soils
- Shallow groundwater
- Steep slopes
- Drainage tiles/ditches
- High wind erosion

## Land Use/Management

- Dairy/Beef
- Cash Grain
- Potato/Vegetables
- Cranberries

## Social - Political

- LCC/County Board
- Financial Resources
- Institutional capacity
- Social Norms / Values



**One size fits all?**

# What does NPS implementation look like?

## Examples of NPS Implementation Tools/Resources


- 9-Key Element Planning
- County Land and Water Plan Updates
- State Grant Funded Projects (Planning/Implementation)
  - TRM/NOD
  - UNPS
  - Lake Protection
  - River Protection
- Farmer Led Initiatives
- Federal Funding Programs (NRCS)



**One size fits all?**

# Fenwood Creek Watershed 9-Key Element Plan

Fenwood Creek  
Location within the  
Big Eau Pleine Watershed




# What Can Citizens Do?

Get involved  
locally!



## Get Involved in Land and Water Resource Planning

- Get a copy of your county plan and see what it says about issues important to you!
- Become a planning committee member



## Get involved in local lake planning and management



## Encourage your county to apply for grants

- TRM
- Lake Protection
- River Protection



## Join your local Lake or Watershed group



## Get involved in volunteer citizen monitoring



Ask yourself, what is my fair share?  
What can I do personally?



# Wisconsin River Basin Water Quality Improvement Project

## Who Can I Contact?

### **Ann Hirekatur**

Project Manager

[Ann.Hirekatur@wisconsin.gov](mailto:Ann.Hirekatur@wisconsin.gov)

608-266-0156

### **Pat Oldenburg**

Monitoring/Wastewater  
Coordinator

[Patrick.oldenburg@wisconsin.gov](mailto:Patrick.oldenburg@wisconsin.gov)

715-831-3262

### **Aaron Ruesch**

Modeling/Technical Lead

[Aaron.Ruesch@wisconsin.gov](mailto:Aaron.Ruesch@wisconsin.gov)

608-266-0152

### **Terry Kafka**

NPS Sector Lead

[Terrence.Kafka@wisconsin.gov](mailto:Terrence.Kafka@wisconsin.gov)

608-355-1363

### **Brad Johnson**

Stormwater Sector Lead

[BradleyA.Johnson@wisconsin.gov](mailto:BradleyA.Johnson@wisconsin.gov)

715-359-2872

### **Stacy Martin**

CAFO Sector Lead

[Stacy.Martin@wisconsin.gov](mailto:Stacy.Martin@wisconsin.gov)

715-359-2874

### **Susan Sandford**

Outreach Coordinator

[Susan.Sandford@wisconsin.gov](mailto:Susan.Sandford@wisconsin.gov)

608-266-8107



# Wisconsin River Basin Water Quality Improvement Project

A wide river flows through a landscape. The left bank is covered in dense, dark green trees. The right bank features a rocky shoreline in the foreground, followed by a grassy area and more trees. The sky is clear and blue. The word "QUESTIONS?" is overlaid in white text on the lower left of the river.

QUESTIONS?